

49.95 EUR  
incl. 19% VAT, plus [shipping](#)



CARTFT.COM



This beautiful enclosure for Mini-ITX can be equipped with every mainboard where CPU heatsink height does not exceed 5,8cm. At the front side there are 2 removeable bezels which hide connectors for 2x USB, 1x Mic, 1x Line-Out, 1x 4pol power and 1x SATA.

Because of the integrated ATX 120W power supply and the external 84W AC/DC adapter you fanless can power also systems with higher performance. For using the system as a car-pc you can exchange the internal PSU against a M2-ATX(-HV) Automotive power supply.

When system is turned on, the front bezel is enlghted in blue power.

#### Installation notes

Mögliche Konfigurationen  
(Mini-ITX) 1x 2.5" HDD/SSD

Max. CPU-heatsink/fan height 48 mm

#### Specifications

Größe 190 x 250x 60 mm

Gewicht 1,8kg (2,5kg mit Zubehör und Verpackung)

Internal Power Supply Built-in 120W DC power board (size compatible with M2-ATX(-HV))  
1x P4

1x ATX 20/24 pol

Power supply connectors 1x 2.5" PATA

2x 3,5" PATA

1x SATA

External AC Adapter -- Input (AC 100~240 V)

-- Output (DC 12V, 7A) 84W

2 x USB(2.0), 1x Mic, 1x Line-Out

Front Access +

1x 3.5" PATA Stromanschluss, 1x SATA

#### Scope of supply

- MHero-S-R Mini-ITX/Micro-ATX enclosure
- Fanless external power adapter 84W + EU power cord
- Fanless internal power supply 120W
- Plastic stands
- 40mm enclosure fan
- Screws



