


## Mainboard Diagram

## JBC360F33-B / JBC360F33W-B






1. INTEL® 945GSE + ICH7M Chipset
2. Support INTEL® Atom N270 CPU(45nm,512K Cache, 1.60 GHz, 533 MHz FSB)
3. Build-in INTEL®GMA 950 Graphics Core
4. Integrated LVDS support 18-bit TFT LCD
5. Supports One Gigabit LAN
6. Integrated ALC662 HD Audio CODEC with 2-CH
7. Support Watch dog Technology
8. Equipped with 802.11 b/g/n WiFi card & Internal Antenna (JBC360F33W-B only)
9. Support 2.5" SATA HDD
10. Support Mini PCI-E socket
11. Small size and provide VESA & Wall mount bracket (Optional)



## Product Accessories

<p>Wall Mount Bracket (Optional)</p>	<p>LCD VESA Mount Bracket (Optional)</p>	<p>Stand</p>	<p>CD</p>



			
Manual	60W Adapter	Power cord	



## Board Specifications

<b>Model No</b>	<b>JBC360F33-B / JBC360F33W-B</b>		
<b>Motherboard Specification</b>			
<b>CPU</b>	■ INTEL® Atom N270 CPU(45nm,512K Cache, 1.60 GHz, 533 MHz FSB)		
<b>Chipset</b>	■ INTEL® 945GSE + ICH7M chipset	■ Front Side Bus 533MHz	
	■ Build-in INTEL® GMA 950 Graphics Core(Share Memory Size: 128/224MB)		
<b>Memory</b>	■ 1 * SO-DIMM Sockets for un-buffered Single Channel DDR2 533/400 SDRAM		
	■ Up to 2 GB		
<b>Expansion Slots</b>	■ 1 * Mini PCI-E		
<b>LAN</b>	■ 1 * Realtek RTL8111DL PCI-E Gigabit Ethernet LAN		
<b>Audio</b>	■ Realtek ALC662 2-Channel HD Audio Codec		
<b>Storage</b>	■ 1 * Serial ATA2 3Gb/s connector		
	■ 1 * Ultra DMA 133/100 IDE connector		
<b>BIOS</b>	■ AMI 8MB DIP Flash ROM		
<b>Form Factor</b>	■ 3.5" SBC (148mm x 102mm)。		
<b>Barebone Specification</b>			
<b>Product size</b>	■ 152.6 (L)x110 (W)x34.8 (D)mm		
<b>Specs Devices</b>	■ 1 x 2.5"HDD Drive Bay ( <b>Only support SATA 2.5"HDD</b> )		
<b>Colors</b>	■ Black		
<b>Front I/O Port</b>	■ 1 * Power button		
<b>Rear I/O Port</b>	■ 4 * USB 2.0 ports	■ 1 * 12V DC jack	
	■ 1 * RJ-45 port(Gigabit LAN)	■ 1 * Audio I/O (line-in & line-out)	
	■ 1 * DVI-I port		
<b>Power supply</b>	■ +12V DC-IN Power		
<b>Accessory</b>	■ 60W AC-DC Adapter x 1	■ Power Cord x 1	
	■ CD x 1	■ Manual x 1	
	■ DVI-I to CRT Converter x 1		
	■ Wall Mount Bracket x 2 (Optional)	■ LCD VESA Mount Bracket x 1 (Optional)	
<b>Application</b>	■ Set Top Box, Thin Client, Car PC Application, Smart Mini PC, Factory Automation.		
<b>Packing</b>	■ Color Box Dimension : 417(W) x 137(D) x 296(H)mm		
	■ Gross Weight : 2.6KG	■ Net Weight : 2.1KG	

## Board Picture



Rear I/O view